

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

EXTERIOR WOOD OIL, WATERBASED Product no.

REACH registration number Not applicable 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture surface treatment of wood outdoors

Uses advised against

The full text of any mentioned and identified use categories are given in section 16 1.3. Details of the supplier of the safety data sheet

Company and address

WOCA Denmark A/S Tværvei 6 6640 Lunderskov Denmark Tel: +45 99585600 Fax:+45 99585636 **Contact person**

JLH

E-mail info@wocadenmark.com SDS date 2018-07-02 **SDS Version** 1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Aquatic Chronic 3: H412 See full text of H-phrases in section 2.2.

2.2. Label elements

Hazard pictogram(s) Not applicable Signal word -

Hazard statement(s)

Harmful to aquatic life with long lasting effects. (H412)

Safety statement(s)

General Prevention Response Storage Disposal

If medical advice is needed, have product container or label at hand. (P101). Avoid release to the environment. (P273).

Dispose of contents/container to an approved waste disposal plant. (P501).



Identity of the substances primarily responsible for the major health hazards

Not applicable

2.3. Other hazards

Not applicable Additional labelling

Contains 3-iod-2-propynylbutylcarbamat, octhilinone (ISO) 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction. (EUH208).

Additional warnings

Not applicable

VOC

VOC-MAX: 20 g/l, MAXIMUM VOC CONTENT (A/f (WB)): 130 g/l.

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

IDENTIFICATION NOS.: CA	od-2-propynylbutylcarbamat .S-no: 55406-53-6 EC-no: 259-627-5 Index-no: 616-212-00-7 - <0.25%
CLP CLASSIFICATION: Ac	ute Tox. 4, Skin Sens. 1B, Eye Dam. 1, Acute Tox. 3, STOT RE 1, Aquatic Acute 1, uatic Chronic 1 02, H317, H318, H331, H372, H400, H410 (M-acute = 10) (M-chronic = 1)

(*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

ATEmix(inhale, vapour) > 20 ATEmix(dermal) > 2000 ATEmix(oral) > 2000 N chronic (CAT 3) Sum = Sum(Ci/(M(chronic)i*25)*0.1*10^CATi) = 2,376 - 3,564 N acute (CAT 1) Sum = Sum(Ci/M(acute)i*25) = 0,09504 - 0,14256

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Bring the person into fresh air and stay with him/her.

Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with soap and water. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that may trigger an allergic reaction to predisposed persons.

4.3. Indication of any immediate medical attention and special treatment needed Nothing special



Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Nothing special

5.3. Advice for firefighters

No specific requirements.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements. 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities. It is recommended to install waste collection trays to prevent emissions to the waste water system and surrounding environment.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. It is recommended to install waste collection trays to prevent emissions to the waste water system and surrounding environment. See section on 'Exposure controls/personal protection' for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature

Store frost-free.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit. **DNEL / PNEC**

No data available

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Observe general occupational hygiene standards.

Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

Exposure limits





Occupational exposure limits have not been defined for the substances in this product. Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust. **Hygiene measures**

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment



Generally

Use only CE marked protective equipment. **Respiratory Equipment** No specific requirements. **Skin protection**

Wear appropriate protection clothing.

Hand protection

Recommended: Nitrile rubber. See the manufacturer's instructions.

Eye protection

No specific requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Form	Liquid
Colour	Various colours
Odour	Faint
Odour threshold (ppm)	Not determined
рН	Not determined
Viscosity (40°C)	23-32 DIN CUP 4
Density (g/cm ³)	0,98-1,1
Phase changes	
Melting point (°C)	Not determined
Boiling point (°C)	Not determined
Vapour pressure	Not determined
Decomposition temperature (°C)	Not determined
Evaporation rate (n-butylacetate = 100)	Not determined
Data on fire and explosion hazards	
Flash point (°C)	Not determined
Ignition (°C)	Not determined
Auto flammability (°C)	Not determined
Explosion limits (% v/v)	Not determined
Explosive properties	Not determined
Solubility	
Solubility in water	Soluble
n-octanol/water coefficient	Not determined
9.2. Other information	
Solubility in fat (g/L)	Not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".



- 10.3. Possibility of hazardous reactions Nothing special
 10.4. Conditions to avoid
 - Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.
- **10.5. Incompatible materials** Strong acids, strong bases, strong oxidizing agents, and strong reducing a
 - Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Substance: 3-iod-2-propynylbutylcarbamat Species: Rat Test: LD50 Route of exposure: Dermal Result: > 2000 mg/kg

Substance: 3-iod-2-propynylbutylcarbamat Species: Rat Test: LD50 Route of exposure: Oral Result: 300 - 500 mg/kg

Substance: 3-iod-2-propynylbutylcarbamat Species: Rat Test: LC50 Route of exposure: Inhalation Result: 6,89 mg/l (4 timer)

Skin corrosion/irritation

Data on substance: 3-iod-2-propynylbutylcarbamat

Serious eye damage/irritation

Not determined

Respiratory or skin sensitisation

This product contains substances that may trigger an allergic reaction to predisposed persons.

Germ cell mutagenicity

Not determined Carcinogenicity

Not determined

- **Reproductive toxicity**
- Not determined
- STOT-single exposure
- Not determined STOT-repeated exposure

Not determined Aspiration hazard Not determined

Long term effects

Nothing special

SECTION 12: Ecological information

12.1. Toxicity

Substance: 3-iod-2-propynylbutylcarbamat Species: Fish Test: LC50 Duration: 96 h Result: 0,43 mg/l

Substance: 3-iod-2-propynylbutylcarbamat Species: Daphnia Test: EC50 Duration: 48 h Result: 0,21 mg/l



Substance: 3-iod-2-propynylbut Species: Algae Test: EC50 Duration: 72 h	ylcarbamat		
Result: 0,022 mg/l			
12.2. Persistence and degrada	ability		
Substance	Biodegradability	Test	Result
Not determined			
12.3. Bioaccumulative potenti	al		
Substance	Potential bioaccumulation	LogPow	BCF
3-iod-2-propynylbutylcarbamat	No	4	4,5

12.4. Mobility in soil

3-iod-2-propynylbutylcarbamat: Log Koc= 3,246 (Moderate mobility potential.).

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which due to poor biodegradability, may cause adverse long-term effects to the aquatic environment,

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Waste

EWC code

Specific labelling

Contaminated packing

Contaminated packaging must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 – 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

14.1. UN number	-
14.2. UN proper shipping name	-
14.3. Transport hazard class(es)	-
14.4. Packing group	-
Notes	-
Tunnel restriction code	-
IMDG	
UN-no.	-
Proper Shipping Name	-
Class	-
PG*	-
EmS	-
MP**	-
Hazardous constituent	-
IATA/ICAO	
UN-no.	-
Proper Shipping Name	-
Class	-
PG*	-



14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available

(*) Packing group (**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Demands for specific education

Additional information

Not applicable

Seveso

Sources

Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP). EC regulation 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302 - Harmful if swallowed.

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H331 Toxic if inhaled.
- H372 Causes damage to organs through prolonged or repeated exposure^a.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

Additional label elements

Not applicable

Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The safety data sheet is validated by

JLH



Date of last essential change (First cipher in SDS version)

Date of last minor change (Last cipher in SDS version)

ALPHAOMEGA. Licens nr.:3603101272, 6.4.1.0 www.chymeia.com