Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: <u>PALL-X 350 Comp. A</u>

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No special requirements.

· Sector of Use

SU19 Building and construction work

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) For professional use only.

• *Product category PC9a Coatings and paints, thinners, paint removers*

• *Application of the substance / the mixture Water-based 2-component pure polyurethane primer (component A)*

- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: PALLMANN GmbH Im Kreuz 6 D-97076 Würzburg Tel. +49 (0)931-27964-0 Fax +49 (0)931-27964-50
- Further information obtainable from: Products Development Lab E-Mail: msds.info@uzin-utz.com
- 1.4 Emergency telephone number: Medical emergencies (GIZ-Nord Poisons Center): +49 551 19240 Transportation emergencies: +49 621 60 43 333

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

• Additional information: Also observe the safety data sheet of component B.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

• Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Resin dispersion. Solvent-free, contains no liquid, organic compounds with a boiling-point < 200 °C

· Dangerous components: Void

(Contd. on page 2)

GB

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

Trade name: PALL-X 350 Comp. A

(Contd. of page 1)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

Also observe the safety data sheet of component B.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

*CO*₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:

No special measures required.

However, also observe the safety data sheet of component B.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Wear suitable protective clothing, gloves and eye/face protection. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Also observe the safety data sheet of component B.
Information about fire - and explosion protection: No special measures required.
7.2 Conditions for safe storage, including any incompatibilities

· 7.2 Conditions for safe storage, including any · Storage:

• **Requirements to be met by storerooms and receptacles:** No special requirements.

· Information about storage in one common storage facility: Not required.

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

(Contd. of page 2)

Trade name: PALL-X 350 Comp. A

- Further information about storage conditions: Protect from frost.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wear suitable protective clothing, gloves and eye/face protection. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary. Ensure that room is well-ventilated during processing.
- · Protection of hands:



Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability (EN 374)

- Material of gloves Butyl rubber, BR Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.5 mm
- **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles (EN 166)

9.1 Information on basic physical and chemical properties General Information		
Appearance:		
Form:	Fluid	
Colour:	White	
Odour:	Weak, characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C:	7.8	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling rat	nge: Undetermined.	
Flash point:	> 100 °C	

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

Trade name: PALL-X 350 Comp. A

	(Contd. of page	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	> 200 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.03 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C:	16 s (DIN 53211/4)	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

• Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Additional toxicological information: Also observe the safety data sheet of component B.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

Trade name: PALL-X 350 Comp. A

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 4)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes: Do not allow product to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Do not allow product to reach sewage system.

Absorb smaller quantities with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust), allow to harden, then dispose of as construction waste.

Dispose of bigger amounts in accordance with Local Authority requirements.

• Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport informat	ion
14.1 UN-Number ADR, ADN, IMDG, IATA	- Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	- Void
14.3 Transport hazard class(es)	-
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	- Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

(Contd. on page 6)

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

Trade name: PALL-X 350 Comp. A

(Contd. of page 5)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Dr. Kötte, phone +49 (0)931 27964-25 E-Mail: msds.info@uzin-utz.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

• * Data compared to the previous version altered.

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: <u>PALL-X 350 Comp. B</u>

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No special requirements.
- · Sector of Use

SU19 Building and construction work

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) For professional use only.

• Product category PC9a Coatings and paints, thinners, paint removers

• *Application of the substance / the mixture Water-based 2-component pure polyurethane primer (component B)*

- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: PALLMANN GmbH Im Kreuz 6
 D-97076 Würzburg Tel. +49 (0)931-27964-0 Fax +49 (0)931-27964-50
- Further information obtainable from: Products Development Lab E-Mail: msds.info@uzin-utz.com
- 1.4 Emergency telephone number: Medical emergencies (GIZ-Nord Poisons Center): +49 551 19240 Transportation emergencies: +49 621 60 43 333

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008

GHS07

Acute Tox. 4	H332 Harmful if inhaled.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.
	· · · · · · · · · · · · · · · · · · ·

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.*

- Hazard pictograms GHS07
- · Signal word Warning
- Hazard-determining components of labelling: Hydrophilic aliphatic polyisocyanate
 Hazard statements
 H332 Harmful if inhaled.
 H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

GB

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

(Contd. of page 1)

Trade name: PALL-X 350 Comp. B

P312 Call a POISON CENTER/doctor if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

• Additional information:

EUH204 Contains isocyanates. May produce an allergic reaction.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 160994-68-3 Hydrophilic aliphatic polyisocyanate Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412

50-75%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections See Section 7 for information on safe handling.

(Contd. on page 3)

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

(Contd. of page 2)

Trade name: PALL-X 350 Comp. B

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with the eyes and skin.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

Wash hands before breaks and at the end of work.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Avoid contact with the eyes and skin.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

Wash hands before breaks and at the end of work.

- Respiratory protection: Not necessary. Ensure that room is well-ventilated during processing.
- Protection of hands:



Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability (EN 374)

· Material of gloves

Butyl rubber, BR Nitrile rubber, NBR

- Recommended thickness of the material: $\geq 0.5 \text{ mm}$
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles (EN 166)

(Contd. on page 4)

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

Trade name: PALL-X 350 Comp. B

(Contd. of page 3)

9.1 Information on basic physical and c	chemical properties
General Information	nemen properties
Appearance:	
Form:	Fluid
Colour:	Yellowish
Odour:	Weak, characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	2: Undetermined.
Flash point:	66 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	465 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.08 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	32 s (DIN 53211/4)
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

From approx. 260° C, polymerization and separation of CO₂.

• 10.3 Possibility of hazardous reactions The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result in distortion, blowing and in extreme cases bursting of the container.

 \cdot 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials:

Uncontrolled exothermic reactions occur with amines and alcohols. During storage, avoid moisture contamination.

(Contd. on page 5) GB

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

Trade name: PALL-X 350 Comp. B

• 10.6 Hazardous decomposition products:

In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomer isocyanates, amines and alcohols may be produced.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

Harmful if inhaled.

- Primary irritant effect:
- · Skin corrosion/irritation Slightly irritant effect may occur.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.

• Additional toxicological information:

Based on the properties of the isocyanate components and considering toxicological data on similar preparations, this preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, wheeziness and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:
- Harmful to aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- · Recommendation
- The product contains materials that are harmful to the environment.

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 6)

(Contd. of page 4)

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

(Contd. of page 5)

Trade name: PALL-X 350 Comp. B

Disposal should be in accordance with local, state or national legislation.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II Marpol and the IBC Code	of Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

*Relevant phrases*H317 May cause an allergic skin reaction.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

· Recommended restriction of use For professional use only.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 7)

GB

Printing date 11.08.2020

Version No. 6

Revision: 11.08.2020

Trade name: PALL-X 350 Comp. B

Contac	
Dr. Kö	tte, phone +49 (0)931 27964-25
E-Mail	: msds.info@uzin-utz.com
Abbrev	viations and acronyms:
RID: Règ	glement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning onal Transport of Dangerous Goods by Rail)
ICAO: In	nternational Civil Aviation Organisation
	ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
	e of Dangerous Goods by Road)
	International Maritime Code for Dangerous Goods
	ternational Air Transport Association
	obally Harmonised System of Classification and Labelling of Chemicals
	: European Inventory of Existing Commercial Chemical Substances
	· European List of Notified Chemical Substances
CAS: Ch	emical Abstracts Service (division of the American Chemical Society)
PBT: Per	rsistent, Bioaccumulative and Toxic
vPvB: ve	ry Persistent and very Bioaccumulative
Acute To	x. 4: Acute toxicity - inhalation – Category 4
Skin Sen	s. 1: Skin sensitisation – Category 1
STOT SE	3. Specific target organ toxicity (single exposure) – Category 3
	Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
* Data	compared to the previous version altered.