

AS PER REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Section 1 - Identification of the substance/mixture and of the company/undertaking	
1.1 Product identifier	
Product name	Protex
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Description	Bactericidal hard surface cleaner
1.3 Details of the supplier of the safety data sheet	
Company	Granwax Products Limited
Address	West Street Riddings Alfreton Derbyshire DE55 4EW
Web	www.granwax.com
Email	info@granwax.com
Email address of the competent person	info@granwax.com
1.4 Emergency telephone number	
Emergency telephone number	+ 44 (0)1773 541177 - 9.00 am - 5.00 pm Monday to Friday
Section 2 - Hazards identification	
2.1 Classification of the substance or mixture	
2.1.2. Classification - EC 1272/2008	Eye Irrit. 2: H319;
2.2 Label elements	
Hazard pictograms	
Signal word	Danger

Protex

Material Safety Datasheet

Page 2 of 11

Hazard statement	Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage.
Precautionary Statement: Prevention	P264 - Wash with clean water thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -If swallowed Immediately call a POISON CENTER/doctor/or if you feel unwell P321 - Specific treatment (see on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention.
2.3 Other hazards	
Other hazards	No data is available on this product.

Section 3 - Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Amides,c8-c18(even numbered) and c18-unsatd.		931-329-6			0.5 - 1%	Xi; R38-41 N; R51/53	
Quaternary ammonium compounds,benzyl-c8-18-alkydimethyl		68424-85-1	270-325-2		1 - 10%	C; R34 Xn; R21/22 N; R50	
tetrasodium ethylene diamine tetraacetate	607-428-00-2	64-02-8	200-573-9		1 - 10%	Xn; R22 Xi; R41	
C13-15 Alcohol ethoxylate 11eo		68131-39-5			1 - 10%	Xn; R22 Xi; R41	
C13-15 Alcohol ethoxylate 7eo		68131-39-5			1 - 10%	Xn; R22 Xi; R41 N; R50	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5		0 - 0.5%	C; R35	
Turpentine, oil (Turpentine)	650-002-00-6	8006-64-2	232-350-7		0 - 0.5%	R10 Xn; R20/21/22-65 Xi; R36/38 R43 N; R51/53	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Quaternary ammonium compounds,benzyl-c8-18-alkydimethyl		68424-85-1	270-325-2		1 - 10%	Acute Tox. 4: H302+H312; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Acute 1: H400;	
tetrasodium ethylene diamine tetraacetate	607-428-00-2	64-02-8	200-573-9		1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
C13-15 Alcohol ethoxylate 11eo		68131-39-5			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
C13-15 Alcohol ethoxylate 7eo		68131-39-5			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Acute 1: H400;	

Section 4 - First aid measures

4.1 Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	If you feel unwell, seek medical advice (show label where possible).

Section 5 - Firefighting measures

5.1 Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2 Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and noxious fumes.
--	---

5.3. Advice for firefighters

	Wear self contained breathing apparatus and protective clothing.
--	--

Section 6 - Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.
--	--

6.2 Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3 Methods and material for containment and cleaning up	
	Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
6.4 Reference to other sections	
	See section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION for further information. See section 13. DISPOSAL CONSIDERATIONS for further information.
Section 7 - Handling and storage	
7.1 Precautions for safe handling	
	Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best manual handling considerations when handling, carrying and dispensing.
7.2 Conditions for safe storage, including any incompatibilities	
	Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.
7.3 Specific end use(s)	
	See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.

Section 8 - Exposure controls/personal protection

8.1 Control parameters

Occupational exposure controls.

8.1.1 Exposure Limit Values

Sodium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m ³ total inhalable dust: - WEL 8-hr limit mg/m ³ total respirable dust: -	WEL 8-hr limit mg/m ³ : - WEL 15 min limit mg/m ³ : 2 WEL 15 min limit mg/m ³ total inhalable dust: - WEL 15 min limit mg/m ³ total respirable dust: -
Turpentine, oil (Turpentine)	WEL 8-hr limit ppm: 100 WEL 15 min limit ppm: 150 WEL 8-hr limit mg/m ³ total inhalable dust: - WEL 8-hr limit mg/m ³ total respirable dust: -	WEL 8-hr limit mg/m ³ : 566 WEL 15 min limit mg/m ³ : 850 WEL 15 min limit mg/m ³ total inhalable dust: - WEL 15 min limit mg/m ³ total respirable dust: -

DNEL: Derived no-effect level.

Sodium hydroxide Long-term - inhalation - Local effects: 1 mg/m³

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Not normally required.

8.2.2 Individual protection measures

Wear suitable gloves and eye/face protection.

Eye / face protection

Approved safety goggles.

Skin protection - Hand protection

Chemical resistant gloves (PVC).

Skin protection - Other

Wear suitable protective clothing.

Respiratory protection

Wear suitable respiratory equipment when necessary.

Occupational exposure controls

Keep away from food, drink and animal feedingstuffs.

Section 9 - Physical and chemical properties

9.1 Information on basic physical and chemical properties (continued)

Appearance	Liquid
Colour	Clear
Odour	Perfumes
Odour threshold	No data available
pH	7.5
Melting point	No data available
Freezing point	No data available
Initial boiling point	100°C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	No data available
Vapour density	No data available
Relative density	≈ 1.065 (H ₂ O = 1 @ 20°C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2 Other information

Conductivity	No data is available
Surface tension	No data is available
Gas group	No data is available
Benzene Content	No data is available
Lead content	No data is available
VOC (Volatile organic compounds)	≈ 49 g/l

Section 10 - Stability and reactivity	
10.1 Reactivity	
	Stable under normal conditions.
10.2 Chemical stability	
	No data is available on this product.
10.3 Possibility of hazardous reactions	
	No data is available on this product.
10.4 Conditions to avoid	
	No data is available on this product.
10.5 Incompatible materials	
	No data is available on this product.
10.6 Hazardous decomposition products	
	No data is available on this product.
Section 11 - Toxicological information	
11.1 Information on toxicological effects	
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
11.1.4 Toxicological Information	
	No data available
Section 12 - Ecological information	
12.1 Toxicity	
Sodium hydroxide	Fish LC50/96h: 125.0000 mg/l
12.2 Persistence and degradability	
	No data is available on this product.
12.3 Bioaccumulative potential	
Bioconcentration factor (BCF)	No data is available on this product.
12.4 Mobility in soil	
	No data is available on this product.
12.5 Results of PBT and vPvB assessment	
	No data is available on this product.
12.6 Other adverse effects	
	No data is available on this product.

Section 13 - Disposal considerations

13.1 Waste treatment methods

Dispose of in compliance with all local and national regulations.

Section 14 - Transport information

14.1 UN number

The product is not classified as dangerous for carriage.

14.2 UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4 Packing group

Packing group

The product is not classified as dangerous for carriage.

14.5 Environmental hazards

Environmental hazards

The product is not classified as dangerous for carriage.

14.6 Special precautions for user

The product is not classified as dangerous for carriage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

Section 15 - Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Protex

Material Safety Datasheet

Page 11 of 11

Section 16 - Other information

Other information

Revision	This document differs from the previous version in the following areas: None
Text of risk phrases in Section 3	R10 - Flammable R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed. R21/22 - Harmful in contact with skin and if swallowed. R22 - Harmful if swallowed. R34 - Causes burns. R35 - Causes severe burns. R36/38 - Irritating to eyes and skin. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R50 - Very toxic to aquatic organisms. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed.
Text of Hazard Statements in Section 3	Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Acute Tox. 4: H302 - Harmful if swallowed.
Further information	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.