

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.08.2019

Version number 3.3

Revision: 07.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: 8021 Polymer Composite Cleaner for the exterior

1.2 Relevant identified uses

of the substance or mixture

and uses advised against

No further relevant information available.

Application of the substance

/ the mixture

Cleaning agent/ Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Osmo Holz und Color GmbH & Co. KG
 Affhüppen Esch 12
 D-48231 Warendorf

Further information

obtainable from:

Product safety department
 Tel.: +49 (0) 251 / 692 - 188
 Fax: +49 (0) 251 / 692 - 462
 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number:

emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in German and English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Hazard pictograms



GHS05

Signal word

Danger

Hazard-determining

components of labelling:

disodium metasilicate
 Alkohole, C9-11, ethoxyliert
 Quartäres Kokosalkylmethylaminethoxylat-methylchlorid

Hazard statements

H315 Causes skin irritation.
 H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read label before use.
 P280 Wear protective gloves / eye protection.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.08.2019

Version number 3.3

Revision: 07.08.2019

Trade name: 8021 Polymer Composite Cleaner for the exterior

(Contd. of page 1)

P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing.
 P501 Dispose of contents/container in accordance with national regulations.

Additional information: Reacts with acid under evolution of heat. Risk of splashing!
 Observe the general safety regulations when handling chemicals.
2.3 Other hazards Clean skin thoroughly immediately after handling the product.

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 6834-92-0 EINECS: 229-912-9 Index number: 014-010-00-8	disodium metasilicate ☠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; STOT SE 3, H335	≥2.5–<5%
CAS: 863679-20-3	Quartäres Kokosalkylmethylaminethoxylat-methylchlorid ☠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315	≥3–<10%
CAS: 68439-46-3	Alkohole, C9-11, ethoxyliert ☠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	≥3–≤10%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

C9-11 PARETH-3	<5%
----------------	-----

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.
 Take affected persons out into the fresh air.

After inhalation: Supply fresh air.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.
 Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 07.08.2019

Version number 3.3

Revision: 07.08.2019

Trade name: 8021 Polymer Composite Cleaner for the exterior

(Contd. of page 2)

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents:

Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.
 Nitrogen oxides (NO_x)
 Carbon monoxide (CO)

5.3 Advice for firefighters

Concentrated product is not flammable.

Protective equipment:

Wear self-contained respiratory protective device.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 07.08.2019

Version number 3.3

Revision: 07.08.2019

Trade name: 8021 Polymer Composite Cleaner for the exterior

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.
 Use only in well ventilated areas.
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.

Information about fire - and explosion protection:

No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Information about storage in one common storage facility:

Do not store together with acids.

Further information about storage conditions:

Protect from frost.
 Keep container tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.

Storage class:

12

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities:

No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Do not carry product impregnated cleaning cloths in trouser pockets.
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Avoid contact with the eyes and skin.
 Do not inhale gases / fumes / aerosols.
 Wash hands before breaks and at the end of work.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.08.2019

Version number 3.3

Revision: 07.08.2019

Trade name: 8021 Polymer Composite Cleaner for the exterior

(Contd. of page 4)

Respiratory protection:	Not necessary if room is well-ventilated.
Protection of hands:	Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
For the permanent contact gloves made of the following materials are suitable:	Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.4 mm For the mixture the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).
As protection from splashes gloves made of the following materials are suitable:	Nitrile rubber, NBR
Eye protection:	If risk of splashing: Safety glasses according to EN 166:2001 (e.g. densely closing frame glasses with side protection)
Body protection:	When transferring or diluting: plastic apron

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Colour:	Pale
Odour:	Mild
Odour threshold:	Not determined.

pH-value (10 g/l) at 20 °C: 10.9

Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 °C

(Contd. on page 6)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 07.08.2019

Version number 3.3

Revision: 07.08.2019

Trade name: 8021 Polymer Composite Cleaner for the exterior

(Contd. of page 5)

Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa Not determined.
Density at 20 °C:	1.068 g/cm ³ (DIN 51757)
Relative density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic at 20 °C:	32 mPas
Kinematic:	> 30 s (ISO 3mm)
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	
Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
10.3 Possibility of hazardous reactions	Strong exothermic reaction with acids.
10.4 Conditions to avoid	Heating above 80 ° C, frost
10.5 Incompatible materials:	Caution! Do not use with other products.
10.6 Hazardous decomposition products:	Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.08.2019

Version number 3.3

Revision: 07.08.2019

Trade name: 8021 Polymer Composite Cleaner for the exterior

(Contd. of page 6)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

6834-92-0 disodium metasilicate

Oral	LD50	1,280 mg/kg (rat)
------	------	-------------------

Primary irritant effect:

Skin corrosion/irritation

Dermal	Hautreizung	
--------	-------------	--

Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin

sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability

Easily biodegradable

Method OECD (19 days)

Analysing method 301 c

Degree of elimination: > 90%

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: In dilution no effect of the biological sewage treatment plant.

Additional ecological information:

COD-value: ~ 400 mg/g

AOX-indication: free

According to the formulation contains the following heavy metals and compounds from

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.08.2019

Version number 3.3

Revision: 07.08.2019

Trade name: 8021 Polymer Composite Cleaner for the exterior

(Contd. of page 7)

the EU guideline NO. 2006/11/**EC:**

none

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

07 06 01*	aqueous washing liquids and mother liquors
15 01 10*	packaging containing residues of or contaminated by hazardous substances

Uncleaned packaging:**Recommendation:**

Packaging may be reused or recycled after cleaning.

Recommended cleansing**agents:**

Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number**ADR, ADN, IMDG, IATA**

Not applicable

14.2 UN proper shipping name**ADR, ADN, IMDG, IATA**

Not applicable

14.3 Transport hazard class(es)**ADR, ADN, IMDG, IATA****Class**

Not applicable

14.4 Packing group**ADR, IMDG, IATA**

Not applicable

14.5 Environmental hazards:**Marine pollutant:**

No

14.6 Special precautions for user

Not applicable.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.08.2019

Version number 3.3

Revision: 07.08.2019

Trade name: 8021 Polymer Composite Cleaner for the exterior

(Contd. of page 8)

**14.7 Transport in bulk according to Annex II of
Marpol and the IBC Code** Not applicable.

UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

GISBAU-Code GISCODE: GG40

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the
previous version altered.**