

AS PER REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Section 1 - Identification of the	substance/mixture and of the company/undertaking	
1.1 Product identifier		
Product name	Granglaze	
1.2 Relevant identified uses of the substance or mixture and uses advised against		
Description	High performance floor coating	
1.3 Details of the supplier of the	e safety data sheet	
Company	Granwax Products Limited	
Address	West Street Riddings Alfreton Derbyshire DE55 4EW	
Web	www.granwax.com	
Email	info@granwax.com	
Email address of the competent person	info@granwax.com	
1.4 Emergency telephone numb	ber	
Emergency telephone number	+ 44 (0)1773 541177 - 9.00 am - 5.00 pm Monday to Friday	
Section 2 - Hazards identificati	on	
2.1 Classification of the substar	nce or mixture	
2.1.1 Classification - 1999/45/EC	Xn; R65 R10-66-67 Symbols: Xn: Harmful.	
Main hazards	Flammable. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.	
2.1.2. Classification - EC 1272/2008	Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336	
2.2 Label elements		
Hazard pictograms		
Signal word	Danger	

Hazard Statement (cont.)	STOT SE 3: H335 - May cause respiratory irritation. STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure . Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement: Prevention	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting//equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash with clean water thoroughly after handling. P270 - Do no eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	 P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTRE/doctor/. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 - Call a POISON CENTRE/doctor/ /if you feel unwell. P314 - Get medical advice/attention if you feel unwell. P331 - Do NOT induce vomiting. P370+P378 - In case of fire: Use to extinguish. P391 - Collect spillage.
Precautionary Statement: Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to requirements of local authority
2.3 Other hazards	
Other hazards	No data is available on this product.

Page 3 of 11

Section 3 - Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH	Conc.	Classification	M-factor.
				Registration Number	(%w/w)		
White spirit		64742-88-7	919-446-0		50 - 60%	Xn; R48/20-65 N; R51/53 R10-66-67	
Kerosine - unspecified - distillates (petroleum), hydrotreated light	649-422-00-2	64742-47-8	265-149-8		1 - 10%	Xn; R65	
2-(2-Butoxyethoxy)ethanol (2- (2-Butoxyethoxy) ethanol)	603-096-00-8	112-34-5	203-961-6		0 - 0.5%	Xi; R36	
EC 1272/2008							
Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
White spirit		64742-88-7	919-446-0		50 - 60%	EUH066; Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H335; STOT RE 1: H372; Aquatic Chronic 2: H411;	
Kerosine - unspecified - distillates (petroleum), hydrotreated light	649-422-00-2	64742-47-8	265-149-8		1 - 10%	Asp. Tox. 1: H304;	
Calcium salts		68409-80-3	270-064-4		1 - 10%	Aquatic Chronic 4: H413;	
Hydrocarbons C10-C13 2%aromatic		64742-48-9	918-481-9		0.5 - 1%	Asp. Tox. 1: H304;	
Zirconium salts		22464-99-9	245-018-1		0 - 0.5%	Repr. 2: H361fd;	
Cobalt (2+) salts		68409-81-4	270-066-5		0 - 0.5%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Repr. 2: H361f; Aquatic Chronic 2: H411;	

Page 4 of 11

.1 Description of first aid mea	sures	
halation	Move the exposed person to fresh air.	
ye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
kin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.	
ngestion	DO NOT INDUCE VOMITING.	
.2 Most important symptoms	and effects, both acute and delayed	
halation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.	
ye contact	May cause irritation to eyes.	
kin contact	May cause irritation to skin.	
ngestion	Ingestion may cause nausea and vomiting.	
4.3 Indication of any immediate medical attention and special treatment needed		
halation	If you feel unwell, seek medical advice (show the label where possible).	
ye contact	Seek medical attention.	
kin contact	Seek medical attention if irritation or symptoms persist.	
ngestion	If you feel unwell, seek medical advice (show label where possible).	
ection 5 - Firefighting measu	res	
.1 Extinguishing media		
	Use extinguishing media appropriate to the surrounding fire conditions.	
5.2 Special hazards arising from the substance or mixture		
	Burning produces irritating, toxic and noxious fumes.	
.3. Advice for firefighters		
	Wear self contained breathing apparatus and protective clothing.	
ection 6 - Accidental release	measures	
6.1 Personal precautions, protective equipment and emergency procedures		
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.	
6.2 Environmental precautions		
	Do not allow product to enter drains. Prevent further spillage if safe.	



6.3 Methods and material for containment and cleaning up		
	Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.	
6.4 Reference to other sections		
	See section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION for further information. See section 13. DISPOSAL CONSIDERATIONS for further information.	
Section 7 - Handling and storage		
7.1 Precautions for safe handling		
	Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.	
7.2 Conditions for safe storage, including any incompatibilities		
	Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.	
7.3 Specific end use(s)		
	See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.	

Page 6 of 11

Section 8 - Exposure controls/personal protection 8.1 Control parameters Occupational exposure controls. 8.1.1 Exposure Limit Values 67.5 Ethylene glycol monobutyl WEL 8-hr limit ppm: 10 WEL 8-hr limit mg/m³: WEL 15 min limit mg/m³: ether WEL 15 min limit ppm: 15 101.2 (2-Butoxyethanol) WEL 8-hr limit mg/m³ WEL 15 min limit mg/m³ total inhalable dust: total inhalable dust: WEL 8-hr limit mg/m³ total WEL 15 min limit mg/m³ respirable dust: total respirable dust: _ _ 8.2 Exposure controls 8.2.1 Appropriate engineering Ensure adequate ventilation of the working area. controls 8.2.2 Individual protection Wear protective clothing. measures Eye / face protection Approved safety goggles. Skin protection -Wear suitable gloves. Handprotection Skin protection - Other Wear suitable protective clothing. Wear suitable respiratory equipment when necessary. Respiratory protection Occupational exposure Keep away from food, drink and animal feedstuffs. controls

Page 7 of 11

Section 9 - Physical and chemical properties		
9.1 Information on basic physical and chemical properties (continued)		
Appearance	Viscous Liquid	
Colour	Brown	
Odour	Characteristic	
Odour threshold	No data available	
рН	No data available	
Melting point	No data available	
Freezing point	No data available	
Initial boiling point	≈ 150 - 200°C	
Flash point	<41°C	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Relative density	$\pm 0.888 (H_2O = 1 @ 20^{\circ}C)$	
Fat Solubility	No data available	
Partition coefficient	No data available	
Autoignition temperature	> 230 °C	
Viscosity	Not determined	
Explosive properties	No data available	
Oxidising properties	No data available	
Solubility	Insoluble in water	
9.2 Other information		
Conductivity	No data is available	
Surface tension	No data is available	
Gas group	No data is available	
Benzene Content	No data is available	
Lead content	No data is available	
VOC (Volatile organic compounds)	499 g/l	

Page 8 of 11

Section 10 - Stability and reactivity		
10.1 Reactivity		
	Stable under normal conditions.	
10.2 Chemical stability		
	Stable under normal conditions.	
10.3 Possibility of hazardous reactions		
	No data is available on this product.	
10.4 Conditions to avoid		
	No data is available on this product.	
10.5 Incompatible materials		
	No data is available on this product.	
10.6 Hazardous decomposition	products	
	No data is available on this product.	
Section 11 - Toxicological inform	nation	
11.1 Information on toxicologica	al effects	
Skin corrosion/irritation	May cause irritation to skin.	
Serious eye damage/irritation	May cause irritation to eyes.	
11.1.4 Toxicological Information		
	No data available	
Section 12 - Ecological informa	tion	
12.1 Toxicity		
	No data is available on this product.	
12.2 Persistence and degradab	ility	
	No data is available on this product.	
12.3 Bioaccumulative potential		
Bioconcentration factor (BCF)	No data is available on this product.	
Octanol-Water Partition Coefficient	No data is available on this product.	
12.4 Mobility in soil		
	No data is available on this product.	
12.5 Results of PBT and vPvB assessment		
	No data is available on this product.	
12.6 Other adverse effects		
	No data is available on this product.	

Page 9 of 11

Section 13 - Disposal considerations		
13.1 Waste treatment methods		
	Dispose of in compliance with all local and national regulations.	
Castion 14 Transport informat		
Section 14 - Transport informat	lon	
14.1 UN number		
	FLAMMABLE 3	
14.1 UN number		
	UN1263	
14.2 UN proper shipping name		
	Paint	
14.3. Transport hazard class(es	s)	
ADR/RID	3	
Subsidiary risk	-	
IMDG	3	
Subsidiary risk	-	
IATA	3	
Subsidiary risk	-	
14.4 Packing group		
Packing group	111	
14.5 Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
14.6 Special precautions for user		
	No data is available on this product.	
14.7 Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code	
	No data is available on this product.	
ADR/RID		
Hazard ID	30	
Tunnel Category	(D/E)	
IMDG		
EmS Code	F-E S-E	

Page 10 of 11

IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L
Section 15 - Regulatory inform	ation
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2 Chemical safety assessm	nent
	No data is available on this product.

Granglaze

Material Safety Datasheet

Section 16 - Other information		
Other information		
Revision	This document differs from the previous version in the following areas: None	
Text of risk phrases in Section 3	 R10 - Flammable. R36 - Irritating to eyes. R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed. R66 - Repeated exposure may cause skin dryness or cracking. R67 - Vapours may cause drowsiness and dizziness. 	
Text of Hazard Statements in Section 3	EUH066 - Repeated exposure may cause skin dryness or cracking. Flam. Liq. 3: H226 - Flammable liquid and vapour.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	

Copyright 2020 Granwax Products Limited

Granglaze - MSDS

Issue date: 20 August 2020

West Street, Riddings, Alfreton, Derbyshire DE55 4EW



Tele: 01773 541177 Email: info@granwax.com Web: www.granwax.com