Trade name: Treatex Floor Care 1160 Version: 21 / GB Replaces Version: - / GB

Date created/revised: 24.06.16 Print date: 03.10.15

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Treatex Floor Care 1160

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Surface treatment of wood and other materials

1.3. Details of the supplier of the safety data sheet

Producer

Treatex Ltd. Unit i, Howland Road Business Park, Howland Road, Thame, OX9 3GQ Telephone no. +44 (0) 1844 260416 Fax no. +44 (0) 1844 358160 E-mail address info@treatex.co.uk

1.4. Emergency telephone number

+49 (0) 30 30686700

2. Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, May produce an allergic reaction.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

Supplemental information

Safety data sheet available on request.

2.3. Other hazards

EUH210

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB) (if not listed in Section 3).

3. Composition/information on ingredients

Hazardous ingredients (Regulation (EC) No. 1272/2008)

1,2-benzisothiazol-3(2H)-one

CAS No.	2634-33-5			
EINECS no.	220-120-9			
Concentration		<	0,05	%

Classification (Regulation (EC) No. 1272/2008) Acute Tox. 4

H302

Trade name: Treatex Floor Care 1160 Version: 21 / GB Replaces Version: - / GB

Date created/revised: 24.06.16 Print date: 03.10.15

Skin Irrit. 2H315Eye Dam. 1H318Skin Sens. 1H317Aquatic Acute 1H400Aquatic chronic 2H411

Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1 H317 >= 0,05 %

Further hazardous ingredients

For explanation of abbreviations see section 16. This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) (if not listed in Section 3).

4. First aid measures

4.1. Description of first aid measures

General information

When symptoms persist or in all cases of doubt seek medical advice. First aider needs to protect himself. Get medical advice/ attention if you feel unwell. Move out of dangerous area.

After inhalation

No special precautions required.

After skin contact

Wash off immediately with soap and plenty of water. Do NOT use solvents or thinners. If skin irritation persists, call a physician.

After eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.

After ingestion

Do NOT induce vomiting. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

The liquid splashed in the eyes may cause irritation and reversible damage.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically.

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Non suitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No materials to be especially mentioned.

Version: 21 / GB

Replaces Version: -/GB

Date created/revised: 24.06.16 Print date: 03.10.15

5.3. Advice for firefighters

Special protective equipment for fire-fighting

No special protective measures against fire required.

Other information

Do not allow run-off from fire fighting to enter drains or water courses. Standard procedure for chemical fires. Cool closed containers exposed to fire with water spray.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not inhale aerosol.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated floors and objects thoroughly while observing environmental regulations. Clean with detergents. Avoid solvents. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid contact with the skin and the eyes. Do not inhale aerosol. When using, do not eat, drink or smoke. Use personal protective equipment. For personal protection see section 8.

Advice on protection against fire and explosion

No special precautions required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.

Hints on storage assembly

No materials to be especially mentioned.

Further information on storage conditions

Protect from frost, heat and sunlight. Store in accordance with the particular national regulations.

7.3. Specific end use(s)

See exposure scenario, if available.

8. Exposure controls/personal protection

Version: 21 / GB

Replaces Version: - / GB

Date created/revised: 24.06.16 Print date: 03.10.15

8.2. Exposure controls

Exposure controls

No special technical protective measures required.

Respiratory protection

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Recommended Filter type: Half mask with a particle filter P2 (EN 143).

Skin protection

PVC or other plastic material gloves

Glove material

Appropriate Material Rubber gloves

This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us.

The exact break through time can be obtained from the protective glove producer and this has to be observed.

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye/face protection

Safety glasses with side-shields conforming to EN166

Individual protection measures

Wear suitable protective clothing. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid				
Colour	colour	less			
Odour	mild				
Odour threshold					
Remarks	no dat	ta available			
pH value					
Remarks	no dat	ta available			
Melting point					
Remarks	no dat	ta available			
Freezing point					
Remarks	no dat	ta available			
Initial boiling point and boilin	ig rang	е			
Value		100	to	100	C
Flash point					
Value	>	60			C
Evaporation rate					
Remarks	no dat	ta available			
Flammability (solid, gas)					
no data available					
Upper/lower flammability or explosive limits					

Safety data sheet in accordance with regulation (EC) No 1907/2006 Trade name: Treatex Floor Care 1160 Version: 21 / GB Date created/revised: 24.06.16 Replaces Version: - / GB Print date: 03.10.15 Remarks no data available Vapour density Remarks no data available Density Value 1 g/cm³ 20 C Temperature Solubility in water Remarks no data available Solubility(ies) Remarks no data available Partition coefficient: n-octanol/water no data available Remarks Ignition temperature Remarks no data available Decomposition temperature Remarks no data available Viscosity Remarks no data available Efflux time Value 29 13 to s Temperature 20 C DIN EN ISO 2431 - 3 mm Method **Explosive properties** evaluation no data available **Oxidising properties** Remarks no data available 9.2. Other information Other information This information is not available. 10. Stability and reactivity 10.1. Reactivity No conditions to be specially mentioned. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions To avoid thermal decomposition, do not overheat. 10.4. Conditions to avoid Heat, flames and sparks. **Decomposition temperature** Remarks no data available

Version: 21 / GB

Replaces Version: - / GB

Date created/revised: 24.06.16 Print date: 03.10.15

10.5. Incompatible materials

No special restrictions on storage with other products.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

11. Toxicological information

11.1. Information on toxicological effects

Other information

No data is available on the product itself.

12. Ecological information

12.1. Toxicity

General information

No data is available on the product itself.

12.2. Persistence and degradability

General information

No data is available on the product itself.

12.3. Bioaccumulative potential

General information

No data is available on the product itself.

Partition coefficient: n-octanol/water Remarks no data

no data available

12.4. Mobility in soil

General information

No data is available on the product itself.

Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

General information

Not applicable

12.6. Other adverse effects

General information

No data is available on the product itself.

General information / ecology

No data is available on the product itself.

13. Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Safety data sheet in accordance with regulation	on (EC) No 1907/2006
Trade name: Treatex Floor Care 1160	
Version: 21 / GB	Date created/revised: 24.06.16
Replaces Version: - / GB	Print date: 03.10.15
EWC waste code	080111 - waste paint and varnish containing organic solvents or other dangerous substances
EWC waste code	200127 - paint, inks, adhesives and resins containing dangerous substances
Where possible recycling is preferred to Try to prevent the material from enterin	o disposal or incineration.
modified product	
EWC waste code	080115 - aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances
Dried residues	
EWC waste code	080112 - waste lacquers and waste paint except those falling under 080111
Disposal recommendations for pack	kaging
EWC waste code	150110 - packaging containing residues of or contaminated by dangerous substances
Empty remaining contents. Empty containers should be taken to lo	cal recyclers for disposal.
14. Transport information	
Land transport ADR/RID Not classified as dangerous in the mea	ning of transport regulations.
Marine transport IMDG/GGVSee Not classified as dangerous in the mea	ning of sea and air transport regulations.
Air transport ICAO/IATA Not a dangerous substance as defined	in the above regulations.
15. Regulatory information	
15.1. Safety, health and environmenta or mixture	al regulations/legislation specific for the substance
Ingredients (Regulation (EC) No 648	3/2004)
less than 5 %: non-ionic surfactants, amphoteric surfa	ctants
Further ingredients perfumes, n-(3-aminopropyl)-N-dodecy hydroxybenzoate	lpropane-1,3-diamine, methyl 4-hydroxybenzoate, ethyl 4-
VOC	
VOC (EU) 0	% 0 g/l
Non-volatile content Value [%] 3	3,3
15.2. Chemical safety assessment For this substance / mixture a chemical	l safety assessment was not carried out.
16. Other information Hazard statements listed in Chapter	3

Version: 21 / GB

Replaces Version: - / GB

Date created/revised: 24.06.16 Print date: 03.10.15

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

-	•
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Dam. 1	Serious eye damage, Category 1
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1

Abbreviations

ADR - Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID - Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning theInternational Transport of Dangerous Goods by Rail)

IMDG - International Maritime Code for Dangerous Goods

IATA - International Air Transport Association

IATA-DGR - Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO-TI - Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

EINECS - European Inventory of Existing Commercial Chemical Substances

CAS - Chemical Abstracts Service (division of the American Chemical Society)

GefStoffV - Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL - Lowest Observed Adverse Effect Level

LOEL - Lowest Observed Effect Level

NOAEL - No Observed Adverse Effect Level

NOEC - No Observed Effect Concentration

NOEL - No Observed Effect Level

OECD - Organisation for Econpmic Cooperation and Development

VOC - Volatile Organic Compounds

Changes since the last version are highlighted in the margin (***). This version replaces all previous versions.

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.