Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

SECTION 1: Identific	eation of the substance/mixture and of the company/undertaking
1.1 Product identifier	
Trade name: <u>Magic Oil 2K</u>	COriginal Comp. A
1.2 Relevant identified use	s of the substance or mixture and uses advised against
Sector of Use	
SU19 Building and constr SU22 Professional uses: F For professional use only.	uction work Public domain (administration, education, entertainment, services, craftsmen)
Product category PC31 P	olishes and wax blends
Application of the substant	ce / the mixture 2 Component Oil for Wood Flooring (Component A)
1.3 Details of the supplier Manufacturer/Supplier: PALLMANN GmbH Im Kreuz 6 D-97076 Würzburg Tel. +49 (0)931-27964-0 Fax +49 (0)931-27964-50 Further information obtain	
<i>Further information obtain</i> Products Development Lab E-Mail: msds.info@uzin-ut	
1.4 Emergency telephone n Medical emergencies (GIZ- Transportation emergencies	Nord Poisons Center): +49 551 19240
SECTION 2: Hazards	identification
	bstance or mixture • Regulation (EC) No 1272/2008 d, according to the CLP regulation.
Additional information: Al	lso observe the safety data sheet of component B.
2.2 Label elements Labelling according to Reg Hazard pictograms Void Signal word Void Hazard statements Void	gulation (EC) No 1272/2008 Void
2.3 Other hazards Results of PBT and vPvB a PBT: Not applicable. vPvB: Not applicable.	issessment
SECTION 3: Compos	ition/information on ingredients
3.2 Chemical characterisat	v 0
	bstances listed below with nonhazardous additions.
r	
Dangerous components: CAS: 85203-81-2	Hexanoic acid, 2-ethyl-, zinc salt, basic Repr. 2, H361; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412
Dangerous components: CAS: 85203-81-2 Reg.nr.: 01-2119979093-30	0 🚯 Repr. 2, H361; 🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic

Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

Trade name: Magic Oil 2K Original Comp. A

(Contd. of page 1)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
- No special measures required.

However, also observe the safety data sheet of component B.

- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

Also observe the safety data sheet of component B.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

*CO*₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- *Protective equipment:* Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · 6.4 Reference to other sections
- Danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust ! Moisten cloths, pads etc. thoroughly with water and store or dispose of in tightly sealed containers. See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Immediately remove all soiled and contaminated clothing

- Avoid contact with the eyes and skin.
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Also observe the safety data sheet of component B.

• Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

• Storage:


- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 3)

Revision: 28.11.2018

Trade name: Magic Oil 2K Original Comp. A

(Contd. of page 2)



 $> 100 \ ^{\circ}C$ · Flash point:

Not applicable. · Flammability (solid, gas):

(Contd. on page 4)

Version No. 2

Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

Trade name: Magic Oil 2K Original Comp. A

	(Contd. of page 3	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	However, observe danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust! (see chapt. 5, 6, 7, 10, 13).	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
Density at 20 °C:	ca. 1.2 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust! Moisten cloths, pads etc. thoroughly with water and dispose of in tightly sealed containers.

· 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

• Additional information: Also observe the safety data sheet of component B.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Additional toxicological information: Also observe the safety data sheet of component B.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

Trade name: Magic Oil 2K Original Comp. A

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 4)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

• General notes: Do not allow product to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Do not allow product to reach sewage system.

Danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust! Moisten cloths, pads etc. thoroughly with water and dispose of in tightly sealed containers. Disposal should be in accordance with local, state or national legislation.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport informat	lon
14.1 UN-Number ADR, ADN, IMDG, IATA	- Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	- Void
14.3 Transport hazard class(es)	-
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	- Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

(Contd. on page 6)

Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

Trade name: Magic Oil 2K Original Comp. A

(Contd. of page 5)

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H412 Harmful to aquatic life with long lasting effects.

• Recommended restriction of use For professional use only.

· Contact:

Dr. Kötte, phone +49 (0)931 27964-25 E-Mail: msds.info@uzin-utz.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Repr. 2: Reproductive toxicity – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• * Data compared to the previous version altered.

Safety data sheet

a	ccording to 1907/2006/EC, Article 31	
Printing date 28.11.2018	Version No. 2	Revision: 28.11.2018
SECTION 1: Identification	n of the substance/mixture and of the substance of the su	he company/undertaking
· 1.1 Product identifier		
· Trade name: Magic Oil 2K Orig	ginal Comp. B	
· 1.2 Relevant identified uses of the	he substance or mixture and uses advised a	ıgainst
• Sector of Use		
SU19 Building and construction SU22 Professional uses: Public For professional use only.	n work c domain (administration, education, enterta	ainment, services, craftsmen)
• Product category PC31 Polishe	es and wax blends	
\cdot Application of the substance / the	he mixture 2 Component Oil for Wood Floo	oring (Component B)
• 1.3 Details of the supplier of the • Manufacturer/Supplier: PALLMANN GmbH Im Kreuz 6 D-97076 Würzburg Tel. +49 (0)931-27964-0 Fax +49 (0)931-27964-50	e safety data sheet	
Further information obtainable Products Development Lab E-Mail: msds.info@uzin-utz.com 1.4 Emergency telephone numb	1	
	Poisons Center): +49 551 19240	
SECTION 2: Hazards iden	ntification	
• 2.1 Classification of the substan • Classification according to Regu GHS07 Acute Tox. 4 H332 Harmful if is	ulation (EC) No 1272/2008	
Skin Sens. 1 H317 May cause c		
STOT SE 3 H335 May cause r	-	
• 2.2 Label elements • Labelling according to Regulati		
 Hazard-determining component 1,6-Hexamethylene diisocyanate Hazard statements H332 Harmful if inhaled. H317 May cause an allergic skin H335 May cause respiratory irri Precautionary statements 	homopolymer n reaction.	

Precautionary sta	tements
P102	Keep out of reach of children.
P280	Wear protective gloves / eye protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

⁻ GB -

Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

Trade name: Magic Oil 2K Original Comp. B

 P337+P313
 If eye irritation persists: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

• Additional information:

EUH204 Contains isocyanates. May produce an allergic reaction.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

 CAS: 28182-81-2
 1,6-Hexamethylene diisocyanate homopolymer
 75-100%

 Reg.nr.: 01-2119488934-20
 (1) Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335
 75-100%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- \cdot 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

(Contd. of page 2)

Trade name: Magic Oil 2K Original Comp. B

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

Wash hands before breaks and at the end of work.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Avoid contact with the eyes and skin.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

- Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary. Ensure that room is well-ventilated during processing.
- Protection of hands:



Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability (EN 374)

• *Material of gloves* Butyl rubber, BR

Nitrile rubber, NBR

- Recommended thickness of the material: $\geq 0.5 \text{ mm}$
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles (EN 166)

(Contd. on page 4)

Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

Trade name: Magic Oil 2K Original Comp. B

(Contd. of page 3)

9.1 Information on basic physical and ch	nemical properties
General Information	I I I I I I I I I I I I I I I I I I I
Appearance:	
Form:	Fluid
Colour:	Colourless
Odour:	Weak, characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	са. 193 °С
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	However, also observe the safety data sheet of component A.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 50 °C:	0.00001 hPa
Density at 20 °C:	1.15 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic at 20 °C:	ca. 960 mPas
Kinematic:	Not determined.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- From approx. 260° C, polymerization and separation of CO_{2}
- 10.3 Possibility of hazardous reactions The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result in distortion, blowing and in extreme cases bursting of the container.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials:

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Uncontrolled exothermic reactions occur with amines and alcohols.

During storage, avoid moisture contamination.

(Contd. on page 5)

Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

Trade name: Magic Oil 2K Original Comp. B

• 10.6 Hazardous decomposition products:

In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomer isocyanates, amines and alcohols may be produced.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

Harmful if inhaled.

· LD/LC50 values relevant for classification:

CAS: 28182-81-2 1,6-Hexamethylene diisocyanate homopolymer

Oral LD50 >5,000 mg/kg (rat) (OECD test guideline 423)

Dermal LD50 >2,000 mg/kg (rat) (OECD test guideline 402)

• Primary irritant effect:

- · Skin corrosion/irritation Slightly irritant effect may occur.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- *Respiratory or skin sensitisation May cause an allergic skin reaction.*

• Additional toxicological information:

Based on the properties of the isocyanate components and considering toxicological data on similar preparations, this preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, wheeziness and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes: Do not allow product to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB**: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Do not allow product to reach sewage system.

(Contd. on page 6)

(Contd. of page 4)

GB

Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

Trade name: Magic Oil 2K Original Comp. B

Disposal should be in accordance with local, state or national legislation.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information · 14.1 UN-Number · ADR, ADN, IMDG, IATA Void • 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void ·14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Not dangerous according to the above specifications. • Transport/Additional information: Void · UN "Model Regulation":

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction. H332 Harmful if inhaled. H335 May cause respiratory irritation.

· Recommended restriction of use For professional use only.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Dr. Kötte, phone +49 (0)931 27964-25 E-Mail: msds.info@uzin-utz.com

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 7)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.11.2018

Version No. 2

Revision: 28.11.2018

Trade name: Magic Oil 2K Original Comp. B

(Contd. of page 6)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
* * Data compared to the previous version altered.