

Printing date 27.06.2019 Version number 4.2 Revision: 27.06.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: 6609 Osmo Wood Reviver - Power Gel

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Surface cleanser

Surface active agent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Further information

obtainable from: Product safety department

Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements

Hazard pictogramsVoidSignal wordVoidHazard statementsVoid

Precautionary statements Although this product is not subject to identification regulations, we

recommend that the safety suggestions are observed.

Keep out of reach of children.

If medical advice is needed, have product container or label at hand.

P262 Do not get in eyes, on skin, or on clothing.

Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one

[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-

239-6] (3:1). May produce an allergic reaction.

2.3 Other hazards Observe the general safety regulations when handling chemicals.

Protect metal (e.g. hinges) and plants against direct contact (e.g. cover

ornamental and farm plants with a tarpaulin.)

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)



Printing date 27.06.2019 Version number 4.2 Revision: 27.06.2019

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 1)

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
EINECS: 205-634-3	oxalic acid	2.5-10%
Index number: 607-006-00-8 CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	<0.0015%
	247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3: 1)	40.001070
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	
	bronopol (INN)	<0.025%
	Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: No special measures required.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a

doctor.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

(Contd. on page 3)



Printing date 27.06.2019 Version number 4.2 Revision: 27.06.2019

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures

Not required.

6.2 Environmental

precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

6.4 Reference to other

sections No dangerous substances are released.

SECTION 7: Handling and storage

7.1 Precautions for safe

handling Keep receptacles tightly sealed.

When diluting always pour product into water and not vice versa.

Information about fire - and

explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel. Store only in the original receptacle.

Information about storage in

one common storage facility: Store away from oxidising agents.

Store away from reducing agents.

Further information about

storage conditions: None.

(Contd. on page 4)



Printing date 27.06.2019 Version number 4.2 Revision: 27.06.2019

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 3)

Storage class: TRGS 510 storage class: 12 non-flammable liquids that can not be assigned

to any other storage class.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about

design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

144-62-7 oxalic acid

WEL Long-term value: 0.1 mg/m³

as Co; Carc

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and

hygienic measures: Do not eat or drink while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Avoid contact with the eyes and skin.

Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.

Protection of hands: Check protective gloves prior to each use for their proper condition.

Preventive skin protection by use of skin-protecting agents is recommended. The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Material of gloves The selection of the suitable gloves does not only depend on the material, but

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable: Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.4 mm

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

As protection from splashes gloves made of the following

materials are suitable: Nitrile rubber, NBR

Eye protection: Goggles recommended during refilling

(Contd. on page 5)



Printing date 27.06.2019 Version number 4.2 Revision: 27.06.2019

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 4)

Body protection: Acid resistant protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Pasty
Colour: Light green
Odour: Mild

Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** 100 °C

Flash point: Not applicable.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Vapour pressure at 20 °C: 23 hPa

Not determined.

Density at 20 °C: 1.09 g/cm³ (DIN 51757)

Solubility in / Miscibility with

water: Not miscible or difficult to mix.

Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

Solvent content:

VOC (EC) Not applicable.

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous

reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Printing date 27.06.2019 Version number 4.2 Revision: 27.06.2019

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 5)

10.6 Hazardous

decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 v	LD/LC50 values relevant for classification:		
6153-56-6	6153-56-6 oxalic acid		
Oral	LD50	375 mg/kg (rat)	
Dermal	LD50	20,000 mg/kg (rat)	
52-51-7 br	52-51-7 bronopol (INN)		
Oral	LD50	305 mg/kg (rat)	
Dermal	LD50	1,600 mg/kg (rat)	
Inhalative	LC50 / 4h	>0.12 mg/l (rat)	
55965-84-	55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-		
	2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		
Oral	LD50	64 mg/kg (rat)	
Dermal	LD50	78 mg/kg (rabbit)	
Inhalative	LC50 / 4h	0.33 mg/l (rat)	

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met. **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.STOT-repeated exposureBased on available data, the classification criteria are not met.Aspiration hazardBased on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity	<i>i</i> :
52-51-7 bronop	ol (INN)
EC50 / 48h	1.4 mg/l (daphnia)

(Contd. on page 7)



Version number 4.2 Printing date 27.06.2019 Revision: 27.06.2019

Trade name: 6609 Osmo Wood Reviver - Power Gel

	(Contd. of page 6)
IC50 / 72h	0.4–2.8 mg/l (algae)
LC50 / 96h	26.4 mg/l (Oncorhynchus mykiss (Regenbogenforelle))
55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	
EC50 / 48h	0.16 mg/l (daphnia)
LC50 / 96h	0.19 mg/l (Oncorhynchus mykiss (Regenbogenforelle))
Biolog. Abbaubarkeit	>60 %

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potential No further relevant information available. 12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Behaviour in sewage processing plants:

52-51-7 bronopol (INN)

EC50 >50 mg/l (Bakterientoxizität)

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50 7.9 mg/l (activated sludge organism)

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water,

water course or sewage system.

12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

No further relevant information available. 12.6 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Smaller quantities can be disposed of with household waste.

Europea	opean waste catalogue	
07 06 99	wastes not otherwise specified	
15 01 02	plastic packaging	

(Contd. on page 8)



Printing date 27.06.2019 Version number 4.2 Revision: 27.06.2019

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 7)

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number	
ADR, ADN, IMDG, IATA	Not applicable
14.2 UN proper shipping name	
ADR	Not applicable
ADN, IMDG, IATA	Not applicable
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Not applicable
14.4 Packing group	
ADR, IMDG, IATA	Not applicable
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H301 Toxic if swallowed.

H302 Harmful if swallowed. H311 Toxic in contact with skin. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 9)



Printing date 27.06.2019 Version number 4.2 Revision: 27.06.2019

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 8)

H318 Causes serious eye damage.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category

* Data compared to the previous version altered.

GB