



Printing date 12.07.2017 Version number 4 Revision: 12.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: AQUAPLAY 1 X-MATT
- · Article number: 506311
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

Single component waterborne finish for wood floors

· Manufacturer/Supplier:

VERMEISTER S.p.A.

Loc. Fornaci

I-24050 Mornico al Serio (Bergamo)

Tel.+39/035.4428190 Fax:+39/035.4428075

- · Further information obtainable from: roberta.fracchiolla@vermeister.com
- · 1.4 Emergency telephone number: +39/035 4428190

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous to health or environment according to the CLP regulation.

The product is classified according to Reg (EC) No 1272/2008

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains 1,2-benzisothiazol-3(2H)-one, Mixture of 5-chloro-2-methyl-2 H-isothiazol-3-one and 2-methyl-2 H-isothiazol-3-one. May produce an allergic reaction.

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Mixture of hazardous substances according to Reg. (EC) No. 1272/2008 and /or substances with a Community workplace exposure limit and/or substances classified as PBT/vPvB or included in Candidate List listed below

· Dangerous components:		
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	≤ 2.5%
	♠ Eye Irrit. 2, H319	
Reg.nr.: 01-2119475104-44		
	(Contd	on page 2)



Printing date 12.07.2017 Version number 4 Revision: 12.07.2017

Trade name: AQUAPLAY 1 X-MATT

	(Cont	d. of page 1
CAS: 111-76-2	2-butoxyethanol	≤ 2.5%
EINECS: 203-905-0	(1) Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin	
Reg.nr.: 01-2119475108-36	Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 34590-94-8	(2-methoxymethylethoxy)propanol	≤ 2.5%
EINECS: 252-104-2	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119450011-60		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.

(Contd. on page 3)





Printing date 12.07.2017 Version number 4 Revision: 12.07.2017

Trade name: AQUAPLAY 1 X-MATT

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

34590-94-8 (2-methoxymethylethoxy)propanol

WEL Long-term value: 308 mg/m³, 50 ppm

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:



Use protective gloves that guarantee complete protection in compliance with standard EN 374.

- · Material of gloves PVC, neoprene or rubber
- · Eye protection:



If there is a risk of spray, wear safety spectacles. Eye protection must meet standard EN 166.

(Contd. on page 4)





Printing date 12.07.2017 Version number 4 Revision: 12.07.2017

Trade name: AQUAPLAY 1 X-MATT

(Contd. of page 3)

· Body protection:

No special precautions are required. In any case, wear clothing in cotton or rubber, for example, that guarantees complete protection of the skin.

· Risk management measures

All the personal protective equipment must comply with the European reference standards (such as EN 374 for the gloves, EN 166 for the safety spectacles and EN14387 for the safety mask). Such equipment must be kept in good working order and stored appropriately. The service life of the protective equipment against chemical agents depends on various factors (type of use, climate factors and methods of storage), which may considerably reduce the service life envisaged by the EN standards. Always consult the supplier of the protective equipment. Instruct the worker on how to use the equipment provided.

Thermal risks: None

Environmental exposure controls: None

9.1 Information on basic physical and ch	nemical properties
General Information	
Appearance: Form:	Fluid
Form: Colour:	ruta White
Colour: Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	2 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	240 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.02 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.

(Contd. on page 5)





Printing date 12.07.2017 Version number 4 Revision: 12.07.2017

Trade name: AQUAPLAY 1 X-MATT

(Contd. of page 4)

Kinematic at 20 °C: 19 s (ISO 4 mm)

• 9.2 Other information See the product label for information on the provisions of Directive

2004/42/EC about VOCs (if applicable).

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecological data about the product: not available.

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)





Printing date 12.07.2017 Version number 4 Revision: 12.07.2017

Trade name: AQUAPLAY 1 X-MATT

(Contd. of page 5)

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging: Empty containers should be disposed or recovered.
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	17 - 1	
ADR, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	

SECTION 15: Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture Reg. (EC) No.1907/2006 (REACH) and further modifications;

Reg. (EC) No. 1272/2008 (CLP) and further modifications;

Dir. 2004/42/EC (VOC), if applicable.

- · Chemical safety assessment not available
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)





Printing date 12.07.2017 Version number 4 Revision: 12.07.2017

Trade name: AQUAPLAY 1 X-MATT

(Contd. of page 6)

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

CP